



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/019,852	11/07/2001	Shigeki Mori	712-032	1854

7590 11/18/2004

James V Costigan  
Hedman Gibson & Costigan  
1185 Avenue of the Americas  
New York, NY 10036-2601

EXAMINER
----------

PADGETT, MARIANNE L

ART UNIT	PAPER NUMBER
----------	--------------

1762

DATE MAILED: 11/18/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES PATENT AND TRADEMARK OFFICE

SN10/019,852

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
P.O. Box 1450  
ALEXANDRIA, VA 22313-1450  
www.uspto.gov

Paper No.

## Notice of Non-Compliant Amendment (37 CFR 1.121)

The amendment document filed on 3/8/04 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121, as amended on June 30, 2003 (see 68 Fed. Reg. 38611, Jun. 30, 2003). In order for the amendment document to be compliant, correction of the following item(s) is required. **Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment document must be re-submitted.** 37 CFR 1.121(h).

## THE FOLLOWING CHECKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
  - ☐ B. New paragraph(s) should not be underlined.
  - ☐ C. Other \_\_\_\_\_
- ☐ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
  - ☐ B. Other \_\_\_\_\_
- ☐ 3. Amendments to the drawings: \_\_\_\_\_
- ☒ 4. Amendments to the claims:
- ☐ A. A complete listing of all of the claims is not present.
  - ☐ B. The listing of claims does not include the text of all claims (including withdrawn claims)
  - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified.
  - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
  - ☒ E. Other: informal amendment - claim 1, lines 18-20 adds a duplicate of a phrase in lines 17-18 without underlining (presumably an unintended addition). - As the amendment needs to be resubmitted, applicant's may also wish to consider the attached observations/comments

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP Sec. 714 and the USPTO website at <http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflyer.pdf>.

If the non-compliant amendment is a **PRELIMINARY AMENDMENT**, applicant is given **ONE MONTH** from the mail date of this letter to supply the corrected section which complies with 37 CFR 1.121. Failure to comply with 37 CFR 1.121 will result in non-entry of the preliminary amendment and examination on the merits will commence without consideration of the proposed changes in the preliminary amendment(s). This notice is not an action under 35 U.S.C. 132, and this **ONE MONTH** time limit is not extendable.

If the non-compliant amendment is a reply to a **NON-FINAL OFFICE ACTION** (including a submission for an RCE), and since the amendment appears to be a *bona fide* attempt to be a reply (37 CFR 1.135(c)), applicant is given a **TIME PERIOD** of **ONE MONTH** from the mailing of this notice within which to re-submit the corrected section which complies with 37 CFR 1.121 in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).**

If the amendment is a reply to a **FINAL REJECTION**, this form may be an attachment to an Advisory Action. The period for response to a final rejection continues to run from the date set in the final rejection, and is not affected by the non-compliant status of the amendment.

Legal Instruments Examiner (LIE)

Telephone No.

### COMMENTS

In claim 1, line 23, and analogously in claims 4 & 5, "an insulator or...elements are" has a singular article for a plural noun & verb, which would be corrected by dropping the "an". Corresponding limitations in the method claims would be more proper with "the" deleted.

In claim 1, lines 26-28, and analogously in claims 4-5, 7 & 9-10, it is ambiguous as written whether there must only be one H.F source (oscillator), or if multiple sources may be used, but only one attached to the first outer electrode. Claims 20-23 suggest that the former may be the intended, but the claims should be clear.

In the claims, it would help clarity if the location of the "shoulder portion" was defined with respect to the other portions of the container. While a guess may be made as to where the shoulder should be located, no position is necessitated by the present claims. Also, in for example line 21 of claim 1, "the center" of what should be defined.

While the amendment to the specification is formally correct, the examiner notes there is frequently no spacing between the end of an amended paragraph and the directions for the next amendment. To avoid potential problems at the printers, it would be best not to run the amendment & instructions together like this.

These comments are not a complete action in response to the 3/8/04 & 4/5/04 submissions, but made inorder to advance the prosecution. Translations ordered previously & received are also attached, but have not yet been reviewed by the examiner.


Art Unit: 1762

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marianne L. Padgett whose telephone number is (571) 272-1425. The examiner can normally be reached on M-F from about 8:30 a.m. to 4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Shrive Beck, can be reached on (571) 272-1415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MLP 11/15/04



MARIANNE PADGETT  
PRIMARY EXAMINER